Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1358	370/238.ccls. 370/351.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L2	13165	(requir$6 guarant$4 provid$4) same (quality near5 service qos)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L3	249	1 and L2	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L4	1099	graph same (router$1 network link$1) same rout$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L5	88	1 and L4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:54
L6	34	1 and I2 and I4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L7	21	(calculat$4 determin$4) near15 delay same router same queu$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L8	0	1 and L7	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L9	204681	(identif$4 determin$4 select$4) near15 (path$1 link$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L10	827	1 and L9	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
L11	194	3 and 10	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:55
S1	2521	709/241.ccls. 709/238.ccls. 709/251.ccls.	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:22
S2	13165	(requir$6 guarant$4 provid$4) same (quality near5 service qos)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:23
S3	288	S1 and S2	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:24
S4	3334	(determin$4 calculat$4) near15 bandwidth same (maximum minimum)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:25

S5	61	S1 and S4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:25
S6	1099	graph same (router$1 network link$1) same rout$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:27
S7	204681	(identif$4 determin$4 select$4) near15 (path$1 link$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:28
S8	150	S2 and S6	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:28
S9	278	router same delay same que$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 10:28
S10	21	(calculat$4 determin$4) near15 delay same router same queu$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/08 12:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	4	maximum near5 bandwidth and minimum near5 bandwidth and maximum near5 delay and maximum near5 (jitter variation) and reliability and data near5 (gather$4 collect$4 monitor$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 13:55
S8	70	gateway$3 near10 security near15 (block$4 bracket$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 16:37
S11	248	gateway$3 near10 security near10 (prevent$4 limit$4 bracket$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 16:39
S13	89	gateway$3 near10 security near10 (section$4 segment$ part$7) same network	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 16:39
S20	40	maximum near5 reliability and ("quality of service" qos)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/12 17:18
S25	3458	network near5 location near10 (subscriber$1 provider$1 client$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:36
S26	169	maximum near15 usage near15 (bandwidth)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:13
S27	415	(traffic connection) near10 (one-way "one way") same (two-way "two-way")	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:43
S32	1983	type near15 (collect$4) near15 data and (time period) near15 data near15 collect$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:51
S34	1	S26 and S27	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 07:51
S35	27	"6400681"	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:26
S37	2	"6584075"	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:37
S41	20	(chang$4 adjust$4) near15 weight same (utilization usage) and bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 09:58
S45	127	(chang$4 adjust$4) near10 weight same (bandwidth)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:12

S47	50	S45 and (rout$4 communication network).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:35
S49	1	"20010029543" and weight	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:40
S50	758	weight$3 near10 (adjust$4 chang$4) same (usage utilization)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:40
S52	1	weight$3 near10 (adjust$4 chang$4) same (usage utilization) and weight near10 (preferred congest$4) same (link path network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:42
S53	86	weight$3 near10 (adjust$4 chang$4) same (usage utilization) and weight same (link path network)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 10:46
S54	31	S53 and (network communication rout$3).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 13:59
S56	5	"5933425" and weight$3 same (traffic congest$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 13:59
S57	17298	(rout$4 network communication$3).ab. and (traffic data) near10 (monitor$4 collect$4) and type near10 data	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:14
S58	9934	(rout$4 network communication$3).ab. and data near10 collect$4 and type near10 data	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:35
S59	9898	(qos "quality of service")	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:15
S60	751	S58 and S59	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:16
S62	13150	connection near5 (type$3 request$4) same (service description characteristic$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:18
S63	162	S60 and S62	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:18
S64	3857	size near10 data same collect$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:21

S65	3	S64 and S63	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:22
S66	371	S64 and S58	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:28
S67	15	S66 and S59	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:22
S68	54484	network near15 (monitor$4 analy$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:29
S69	135	S68 and S66	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:29
S70	247	(rout$4 network communication$3).ab. and data near10 collect$4 and type near10 data near15 collect$4 and data near5 size	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:48
S71	158	S70 and ((qos "quality of service") (traffic network) same (monitor$4 analy$4))	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:36
S72	345	(rout$4 network communication$3).ab. and data near10 collect$4 and type near10 data near15 collect$4 and data near5 (amount size) and ((qos "quality of service") (traffic network) same (monitor$4 analy$4))	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:49
S73	187	S72 not S71	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/13 14:49
S75	5475	(qos "quality of service" (traffic network) near5 monitor$4).ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:39
S76	85	S75 and collect$4 near10 (packet$3 data) near10 type	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:39
S77	6	S76 and (rate size amount) near5 data near10 collect$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:41
S78	144	(communication network$3).ab. and collect$4 near10 (packet$3 data) near10 type and (rate size amount) near5 data near10 collect$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/17 10:45

S81	14972	(two-way bi-directional) same connection	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:40
S82	7116	collect$4 near10 data same type and (period$6 size) near15 data	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:36
S89	7407	collect$4 near10 (packet$3 data) same type and (period$6 size) near15 (packet$1 data)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:37
S90	278	S89 and S81	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:37
S91	162	S90 and (monitor$4 measur$4 analy$6) near15 (network$1 link$1 path$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:38
S92	14	S91 and "709"	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:38
S93	750	(one-way) same (two-way bi-directional) same connection	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 18:14
S94	35	S93 and maximum near5 bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:41
S96	80	maximum near5 (bandwidth usage) and collect$4 near10 (data packet$1) and collect$4 near10 (data packet$1) near10 type and (size period$6) near10 (data packet$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 17:55
S100	22	parameter$1 same (one-way) same (two-way bi-directional) same connection	US-PGPUB; USPAT; EPO	OR	OFF	2005/05/31 18:14
S101	181	reserv$5 same percent$5 same bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 13:56
S102	4	reserv$5 same percent$5 same bandwidth same direction	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:35
S104	483	(determin$4 calculat$4) near10 minimum near5 bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:40
S105	185702	bit$1 same second$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:41
S106	138	S104 and S105	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 15:53

S10 7	107	S106 and (queu$4 delay$4)	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:00
S10 8	2376	router same delay$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:00
S11 0	143	(control$4 monitor$4 manag$4) near15 router$1 near15 delay$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:04
S11 1	134	queu$4 near15 router$1 near15 delay$4	US-PGPUB; USPAT; EPO	OR	OFF	2005/06/02 16:04

IEEE Xplore® RELEASE 2.0

Welcome United States Patent and Trademark Office

Advanced Search   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

OPTION 1
Enter keywords or phrases, select fields, and select operators

router	in All Fields
AND ▾	queue	in All Fields
AND ▾	delay	in All Fields

Run Search   Reset

OPTION 2
Enter keywords, phrases, or a Boolean expression

Run Search   Reset

» Note: You may use the search operators <and> or <or>
   without the start and end brackets <>.
» Learn more about Field Codes, Search Examples, and Search Operators

» **Publications**

   ◉ Select publications
      ☑ IEEE Periodicals
      ☑ IEE Periodicals
      ☑ IEEE Conference Proceedin;
      ☑ IEE Conference Proceeding;
      ☑ IEEE Standards

» **Select date range**

   ○ Search latest content update (06
   ◉ From year All ▾
                to 2001 ▾

» **Display Format**

   ◉ Citation   ○ Citation & Abstr;

» **Organize results**

   Maximum 100 ▾
   Display 25 ▾ results per pa
   Sort by Relevance ▾
         In Descending ▾ order

Help   Contact Us   Privacy & ;

indexed by
Inspec

IEEE *Xplore*

Welcome United States Patent and Trademark Office

Advanced Search   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

OPTION 1
Enter keywords or phrases, select fields, and select operators

bandwidth	in All Fields
AND graph	in All Fields
AND router	in All Fields

Run Search   Reset

OPTION 2
Enter keywords, phrases, or a Boolean expression

Run Search   Reset

» Note: You may use the search operators <and> or <or>
  without the start and end brackets <>.
» Learn more about Field Codes, Search Examples, and Search Operators

» Publications

 Select publications
  ☑ IEEE Periodicals
  ☑ IEE Periodicals
  ☑ IEEE Conference Proceedin:
  ☑ IEE Conference Proceeding:
  ☑ IEEE Standards

» Select date range

 Search latest content update (06
 From year All
           to 2001

» Display Format

 Citation   Citation & Abstr.

» Organize results

Maximum 100
Display 25   results per pa
Sort by Relevance
In Descending order

indexed by
Inspec

P⊙RTAL
USPTO

Search: ⊙ The ACM Digital Library   O The Guide

THE ACM DIGITAL LIBRARY

Advanced Search

[?] Search Tips

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:

must have **all** of the words or phrases

`minimum maximum bandwidth router graph`

must have **any** of the words or phrases

`link path`

must have **none** of the words or phrases

Only search in:*

O Title   O Abstract   O Review   ⊙ All Information

*Searches will be performed on all available information, including full text where available, unless specified above.

Name or Affiliation:

`Authored ▼` by: ⊙ all   O any   O none

`Edited ▼` by: ⊙ all   O any   O none

`Reviewed ▼` by: ⊙ all   O any   O none

SEARCH

ISBN / ISSN: ⊙ Exact   O Expand

DOI: ⊙ Exact   O Expand

SEARCH

Published:

By: ⊙ all   O any   O none

In: ⊙ all   O any   O none

Since:
`Month ▼` `Year ▼`

Before:
`Month ▼` `Year ▼`

As: `Any type of publication ▼`

Conference Proceeding:

Sponsored By:

Conference Location:

Conference Year:
`          ` yyyy

SEARCH

Classification: (CCS) ☐ Primary Only

Classified as: ⊙ all   O any   O none

Subject Descriptor: ⊙ all   O any   O none

Keyword Assigned: ⊙ all   O any   O none

Results must have accessible:

☐ Full Text   ☐ Abstract   ☐ Review

P❂RTAL
USPTO

Search: ◉ The ACM Digital Library   ○ The Guide

THE ACM DIGITAL LIBRARY   Advanced Search   [?] Search
                                                                  Tips

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:

must have **all** of the words or phrases

| router queue delay bandwidth minimum |

must have **any** of the words or phrases

| packet bit size |

must have **none** of the words or phrases

| |

Name or Affiliation:

Authored ▾ by: ◉ all ○ any ○ none

| |

Edited ▾ by: ◉ all ○ any ○ none

| |

Reviewed ▾ by: ◉ all ○ any ○ none

| |

Only search in:*
   ○ Title ○ Abstract ○ Review ◉ All Information

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ◉ Exact ○ Expand

| |

DOI: ◉ Exact   ○ Expand

| |

Published:

By: ◉ all ○ any ○ none

| |

In: ◉ all ○ any ○ none

| |

Since:
| Month ▾ | Year ▾ |

Before:
| Month ▾ | Year ▾ |

As: | Any type of publication ▾ |

Conference Proceeding:

Sponsored By:

| |

Conference Location:

| |

Conference Year:

| | yyyy

Classification: (CCS) ☐ **Primary Only**

Classified as: ◉ all ○ any ○ none

| |

Subject Descriptor: ◉ all ○ any ○ none

| |

Keyword Assigned: ◉ all ○ any ○ none

| |

Results must have accessible:

   ☐ Full Text ☐ Abstract ☐ Review

PORTAL
USPTO

Search: ● The ACM Digital Library   ○ The Guide

[_____] [Search]

THE ACM DIGITAL LIBRARY   Advanced Search   [?] Search Tips

Enter words, phrases or names below. Surround phrases or full names with double quotation marks.

Desired Results:

must have **all** of the words or phrases
[reserve predetermined bandwidth buffer]

must have **any** of the words or phrases
[guaranteed required]

must have **none** of the words or phrases
[_____]

Name or Affiliation:

[Authored ▼] by: ● all ○ any ○ none
[_____]

[Edited ▼] by: ● all ○ any ○ none
[_____]

[Reviewed ▼] by: ● all ○ any ○ none
[_____]

Only search in:

○ Title   ○ Abstract   ○ Review   ● All Information

[Search]

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ● Exact   ○ Expand
[_____]

DOI: ● Exact   ○ Expand
[_____]

[Search]

Published:

By: ● all ○ any ○ none
[_____]

In: ● all ○ any ○ none
[_____]

Since:
[Month ▼] [Year ▼]

Before:
[Month ▼] [Year ▼]

As: [Any type of publication ▼]

Conference Proceeding:

Sponsored By:
[_____]

Conference Location:
[_____]

Conference Year:
[_____] yyyy

[Search]

Classification: (CCS) ☐ Primary Only

Classified as: ● all ○ any ○ none
[_____]

Subject Descriptor: ● all ○ any ○ none
[_____]

Keyword Assigned: ● all ○ any ○ none
[_____]

Results must have accessible:

☐ Full Text   ☐ Abstract   ☐ Review

graph bandwidth router maximum minimum   ☐Search☐

Web   Results **1 - 10** of about **114,000** for **graph** **bandwidth** **router** **maximum** **minimum**. (0.24 seconds)

[PDF] **Routing restorable bandwidth guaranteed connections using maximum ...**
File Format: PDF/Adobe Acrobat
mance by **routing** using the **minimum** interference criteria. Note **...** **routing** of
bandwidth guaranteed tunnels with MPLS traffic engineering **...**
portal.acm.org/ft_gateway.cfm?id=948935&type=pdf - Similar pages

Index
... **MINIMUM BANDWIDTH | MINIMUM GRAPH** INFERENCE; channel assignment: **MAXIMUM CHANNEL**
... **routing** problems: **Routing** Problems to **MAXIMUM QUADRATIC ASSIGNMENT ...**
www.nada.kth.se/~viggo/wwwcompendium/node276.html - 71k - Cached - Similar pages

A.4.Bandwidth Usage
Immediately below the **graph** is the data which provides the **maximum**, average and
current usage for the **...** An average and **minimum** are recorded on the **graph. ...**
education.qld.gov.au/schools/ mis/adminmanual/**bandwidth**usage.html - 16k - Cached - Similar pages

Chapter 7: Network Bandwidth Considerations
The following **graph** shows **bandwidth** spikes, which occurred for the following reasons
... Minimum and **maximum bandwidth**: 0-79 Kbps; Average **bandwidth**: 7 Kbps **...**
www.microsoft.com/windows/NetMeeting/ Corp/reskit/Chapter7/default.asp - 113k - Cached - Similar pages

[PDF] **Minimum interference routing of bandwidth guaranteed tunnels with ...**
File Format: PDF/Adobe Acrobat - View as HTML
We develop new algorithms for **routing bandwidth** guaran- **... Minimum** Interference
Routing Algorithm. (MIRA). INPUT:. A **graph**. and a set. of residual **...**
www.ecse.rpi.edu/homepages/koushik/mypapers/jsac00.pdf - Similar pages

[PDF] **Routing Restorable Bandwidth Guaranteed Connections using Maximum ...**
File Format: PDF/Adobe Acrobat - View as HTML
Routing Restorable **Bandwidth** Guaranteed. Connections using **Maximum** 2-Route Flows
... performance by **routing** using the **minimum** interference crite- **...**
www.ecse.rpi.edu/homepages/ koushik/mypapers/infocom02.pdf - Similar pages

Path Selection
bw: the **maximum** available **bandwidth** on the path (with h hops). **...** S is updated
using a path through **router** V, only if the **minimum** of the **bandwidth** of the h **...**
www.opalsoft.net/qos/Q-OSPF-50.htm - 17k - Cached - Similar pages

Monitor Traffic
For details on creating a report in this screen, see Create a **Graph. ...**
The **minimum** and **maximum** amount of **bandwidth** allocated for a class subtree. **...**
support.packeteer.com/documentation/ packetguide/current/nav/tasks/monitor/monitor-traffic.htm - 21k -
Cached - Similar pages

Network Bandwidth Monitor Tool, Network Traffic Monitoring ...
The Percentage Utilization **graphs** display the Received Utilization and the **...**
The **maximum**, **minimum**, and average values, are also displayed for each of the **...**
manageengine.adventnet.com/products/ oputils/help/network/**bandwidth**_monitor_tool.html - 14k -
Cached - Similar pages

Network Performance Monitor Tool, Network Performance Monitoring ...
... and transmitted **bandwidth** utilization of the Interface in **graph**. The **maximum**, **minimum** and the average received and transmitted **bandwidth** utilization in ...
manageengine.adventnet.com/products/ oputils/help/network/performance_monitor_tool.html - 16k - Cached - Similar pages

Goooooooooogle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer. Download now.

Find: ✉ emails - 📄 files - 👥 chats - 🖥 web history - ♪ media - 📄 PDF

graph bandwidth router maximum m   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google

reserve percentage bandwidth buffer traffic | Search |

Web   Results **1 - 10** of about **22,600** for <u>reserve **percentage** **bandwidth** **buffer** **traffic**</u>. (0.29 seconds)

Citations: Effective **bandwidth** of general Markovian **traffic ...**
... this: Fixed strategy: One simple strategy is to **reserve** a fixed **percentage** of
... Techniques for computing the effective **bandwidth** for different **traffic ...**
citeseer.csail.mit.edu/context/35262/0 - 58k - <u>Cached</u> - <u>Similar pages</u>

Low Latency Queueing with Priority **Percentage** Support [Cisco IOS ...
If the incoming high priority **traffic** exceeds the **bandwidth percentage** calculated
... ip rtp **reserve**. Reserves a special queue for a set of RTP packet flows ...
www.cisco.com/en/US/products/sw/iosswrel/ ps1839/products_feature_guide09186a0080087af0.html - 132k -
<u>Cached</u> - <u>Similar pages</u>

Cisco - Network Flow Management
Applications must trade off the amount of available **buffer** against the network's
... These may crowd out other **traffic** by reducing its available **bandwidth**, ...
www.cisco.com/warp/public/614/18.html - 26k - <u>Cached</u> - <u>Similar pages</u>

Queue Profiles
... so that high **bandwidth** consumers cannot starve out moderate **traffic ...**
It is unnecessary and wasteful to **reserve buffer** space for all queues when many ...
www.juniper.net/techpubs/software/ erx/junose61/swconfig-policy-qos/html/qos-config7.html - 18k -
<u>Cached</u> - <u>Similar pages</u>

Active Projects
In a non-hostile environment, all nodes should cooperate in **bandwidth ... buffer**,
the induced delay, the speed of transmission, and the **percentage** of data ...
www.comm.toronto.edu/~valaee/wirlab/activeprojects.htm - 24k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Support for Real-Time **Traffic** in the Internet, and QoS Issues
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
due to **buffer** overflow? • **Bandwidth** Allocation for Real-Time **Traffic** What ...
the session layer protocols may **reserve** a certain **percentage** of workstation ...
www.utdallas.edu/~mmohsin/projects/QoS.pdf - <u>Similar pages</u>

[PDF] Effects of Filler **Traffic** in IP Networks
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
over this "filler" **traffic**, allowing the network to use this **bandwidth** as if ...
For example, if the filler **buffer** is very small, then the majority of the ...
vorlon.cwru.edu/~vxl11/papers/dimacs_filler.pdf - <u>Similar pages</u>

IBM Networking | NCP and 3745/46 Today | Summer 2001
IntServ is appropriate for **traffic** types that require **bandwidth** and delay ...
For applications that need to explicitly **reserve bandwidth** through RSVP using ...
www.networking.ibm.com/nhd/webnav.nsf/ pages/375:summer2001:article17.html - 51k - <u>Cached</u> - <u>Similar pages</u>

[PDF] A novel capacity maximization scheme for multimedia wireless ATM ...
File Format: PDF/Adobe Acrobat
partial **traffic** delivery and WATM cell drops in. a **buffer**. ... **percentage** of the
total **bandwidth** is increased, in Fig. 8. and Fig. ...
ieeexplore.ieee.org/iel5/ 6849/18409/00851572.pdf?arnumber=851572 - <u>Similar pages</u>

Wi-Fi QoS is finally appearing
... access point to **reserve** some **bandwidth** to deal with handoffs of ongoing calls.
This **bandwidth buffer** would be adjustable and set by network executives **...**
www.techworld.com/features/index. cfm?featureID=1369&printerfriendly=1 - 13k - Cached - Similar pages

Goooooooooogle ▶
Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Google Desktop Search: Search your own computer. Download now.

Find: ☑emails - ⬜files - chats - web history - media - PDF

reserve percentage bandwidth buffe   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google